


Xerox® VersaLink® Colour Multifunction Printer

C7020/C7025/C7030

VersaLink C7000 Series Colour Multifunction Printers are built on Xerox® ConnectKey® Technology. For more information, go to www.connectkey.com.



| System Specifications | VersaLink C7020 | VersaLink C7025 | VersaLink C7030 |
|--|---|--|--|
| One-Sided Speed A4 / 210 x 297 mm A3 / 297 x 420 mm | Up to 20 ppm (pages per minute) long edge feed (LEF) Up to 11 ppm A3 / 297 x 420 mm | Up to 25 ppm (LEF) Up to 14 ppm A3 / 297 x 420 mm | Up to 30 ppm (LEF) Up to 17 ppm A3 / 297 x 420 mm |
| Monthly Duty Cycle¹ | Up to 87,000 pages / month ¹ | Up to 107,000 pages / month ¹ | Up to 129,000 pages / month ¹ |
| Recommended Average Monthly Print Volume² | Up to 5,500 pages | Up to 6,250 pages | Up to 7,000 pages |
| Hard Drive | 320 GB HDD (Optional on Desktop\Base Unit) | | |
| Processor | 1.05 GHz Dual-Core | | |
| Memory | 4 GB | | |
| Connectivity | Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n/g/b/a and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair | | |
| Controller Features | Unified Address Book, Configuration Cloning, Scan Preview, Fax Preview, Xerox Extensible Interface Platform®, Xerox App Gallery, Xerox® Standard Accounting, Role Based Permissions, Convenience Authentication Enabled, Online Support | | |
| Device Specifications | | | |
| Electrical Requirements | | | |
| Europe | Voltage : 220-240V +/- 10 % Frequency: 50 Hz +/-3 % , 8A | | |
| Power Consumption | | | |
| Printing ⁵ | 20 ppm = 0.9 kWh; 25 ppm = 1.1 kWh; 30 ppm = 1.5 kWh | | |
| Standby Mode ⁵ | 80 Watts or less | 80 Watts or less | 94 Watts or less |
| Sleep Mode ⁵ | 1.4 watts or less | | |
| Operating Environment | | | |
| Required Temperature Range (Storage) | 0° to 35° C | | |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | | | | |
|---|---|-------------------------------|-------------------------------|---------------|
| Required Temperature Range (Operating) | 10 to 32° C | | | |
| Required Relative Humidity | 10% to 85 % | | | |
| Sound Power Levels | Printing: 6.70 B(A) or less <ul style="list-style-type: none"> • 20 ppm = 6.45 B(A); 25 ppm = 6.50 B(A); 30 ppm = 6.70 B(A) Standby: 4.10 B(A) or less <ul style="list-style-type: none"> • 20 ppm = 4.10 B(A); 25 ppm = 4.10 B(A); 30 ppm = 4.10 B(A) Full System (including finisher and HCF) Printing: 20 ppm = 7.07 B(A); 25 ppm = 7.22 B(A); 30 ppm = 7.37 B(A) Standby: 20 ppm = 4.10 B(A); 25 ppm = 4.10 B(A); 30 ppm = 4.10 B(A) | | | |
| Sound Pressure Levels | Printing: 52.0 dB(A) <ul style="list-style-type: none"> • 20 ppm = 49.5 dB(A); 25 ppm = 50.0 dB(A); 30 ppm = 52.0 dB(A) Standby: 26.0 dB(A) <ul style="list-style-type: none"> • 20 ppm = 26.0 dB(A); 25 ppm = 26.0 dB(A); 30 ppm = 26.0 dB(A) Full System (including finisher and HCF) Printing: 20 ppm = 55.5 dB(A); 25 ppm = 57.0 dB(A); 30 ppm = 58.5 dB(A) Standby: 20 ppm = 26.0 dB(A); 25 ppm = 26.0 dB(A); 30 ppm = 26.0 dB(A) | | | |
| Boot Time (from Off to UI Ready) | As fast as 98 seconds | | | |
| Warm-up Time (from Sleep to UI Ready) | As fast as 12 seconds | | | |
| Dimensions and Weight (Unpackaged) | Width | Depth | Height | Weight |
| Base Unit | 590 mm | 670.8 mm | 767.9 mm | 69.0 kg |
| Base Unit with Single Tray with Stand Module | 615.7 mm | 670.8 mm | 1118.6 mm | 92.3 kg |
| Base Unit with High Capacity Tandem Tray Module | 615.7 mm | 670.8 mm | 1118.6 mm | 106.5 kg |
| Base Unit with Three Tray Module | 615.7 mm | 670.8 mm | 1118.6 mm | 96.5 kg |
| Base Unit with Three Tray Module and Office Finisher LX (with Booklet Maker) | 1194.0 mm | 681.8 mm | 1118.6 mm | 134.4 kg |
| Certifications | | | | |
| To view the latest list of certifications, go to www.xerox.com/OfficeCertifications . | | | | |
| Print | | | | |
| First-print-out Time | As fast as 9.4 seconds Colour | As fast as 9.4 seconds Colour | As fast as 7.3 seconds Colour | |
| | As fast as 7.2 seconds Black | As fast as 7.1 seconds Black | As fast as 5.6 seconds Black | |
| Print Resolution | Up to 1200 x 2400 dpi | | | |
| Page Description Languages | PCL® 5e, 6 PDF XPS TIFF JPEG HP-GL Adobe® PostScript® 3™ (Optional) | | | |
| Maximum Print Area | 4 mm from lead edge of paper, 2 mm from Side and Trail edges of paper | | | |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | | | |
|--------------------------------|--|--------------------------------|--------------------------------|
| Print Features | Application Defaults Bi-directional Real-time Status Booklet Creation Draft Mode Job Identification Job Monitoring Personal Print Print from USB Sample Set Saved Job Scaling Secure Print Skip Blank Pages Store and Recall Driver Settings Two-sided Printing (as default) Xerox® Earth Smart Driver Settings | | |
| Print from USB | Allows walk-up printing from Type A USB port Supports direct printing from computer via Type B USB port Supported file formats: PDF, JPEG, TIFF, XPS | | |
| Operating Systems | Windows®, 7, 8, 10, Server 2000, Server 2003, Server 2008, Server 2008 R2 Server 2012 Mac OS® version 10.10, 10.11, & 10.12 Citrix Redhat® Enterprise Linux® IBM® AIX® 7.2 HP-UX® 11iv3 Oracle® Solaris 11.3 Fedora Core 24 SUSE® 13.2 | | |
| Fonts | PostScript fonts: 136 PCL fonts: 83 | | |
| Copy | | | |
| Document Scanner | 110-sheet Duplex Automatic Document Feeder (DADF) | | |
| Document Scanner Size | Platen: Up to 13.1 x 17.2 in. / 332.0 x 437 mm DADF: Up to 11.7 x 17 in. / 297 x 431.8 mm | | |
| Simplex Copy Speed | Up to 20 cpm A4 (210 x 297 mm) | Up to 25 cpm A4 (210 x 297 mm) | Up to 30 cpm A4 (210 x 297 mm) |
| Duplex Copy Speed | Up to 17 cpm A4 (210 x 297 mm) | Up to 18 cpm A4 (210 x 297 mm) | Up to 18 cpm A4 (210 x 297 mm) |
| First-copy-out Time | As fast as 9.0 seconds Colour | As fast as 9.0 seconds Colour | As fast as 7.2 seconds Colour |
| | As fast as 6.9 seconds Black | As fast as 6.9 seconds Black | As fast as 5.8 seconds Black |
| Sides (input:output) | 1:1, 1:2, 2:2 and 2:1 | | |
| Quantity | 1 to 999 | | |
| Resolution (max.) | Up to 600 x 600 dpi | | |
| Reduction / Enlargement | Variable zoom from 25 % to 400 % in 1 % increments | | |
| Concurrency | Concurrent scanning and printing | | |
| Copy Features | Automatic Background Suppression Book Copying with Center Erase Booklet Creation (requires HDD) Annotations (Page Numbers, Comments, Date Stamp, Bates Stamp) (requires HDD) Collation Darkness Control Edge Erase ID Card Copy N-up Reduce / Enlarge 25 % to 400 % Image Shift Original Type Sample Copy Sharpness | | |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| Scan | |
|--|--|
| Capability | Black and white and colour scanning |
| Concurrency | Scan while the system is printing copy or network print jobs, or while it is transferring scan to network or fax jobs |
| Simplex Input Speed | Black and white: Scan up to 55 ipm A4 (210 x 297 mm) Colour: Scan up to 55 ipm A4 (210 x 297 mm) |
| Duplex Input Speed | Black and white: Scan up to 26 ipm A4 (210 x 297 mm) Colour: Scan up to 26 ipm A4 (210 x 297 mm) |
| Resolution | Optical – 600 x 600 dpi |
| Bit Depth | 24-bit colour / 8-bit grayscale |
| Maximum Scan Area | Platen: Up to 332 x 437 mm Document Feeder: 297 x 431.8 mm |
| Network Filing Protocols | FTP SMTP SMB |
| File Formats | JPG TIFF (single and multi-page) XPS (single and multi-page) PDF (single and multi-page) Searchable PDF Password-protected PDF Linearised PDF (set via embedded web server) and PDF/A |
| Scan Driver Compatibility (Network Only) | WIA TWAIN |
| Supported Scan Destinations | Scan to Home Scan to USB Scan to Email Scan to Network (Browse FTP or Browse SMB) |
| Network Scanning – Software Solutions | |
| Xerox® ConnectKey® Apps (Found at the Xerox® App Gallery) | Increase user productivity by simplifying and shortening everyday tasks. Unlike traditional software, ConnectKey Apps do not require a dedicated server, PC or IT resource. Instead, simply download these lightweight, serverless ConnectKey Apps to the ConnectKey-enabled multifunction printer. |
| PSTN One-line or Three-line Fax (Optional) | |
| Fax ³ | |
| Fax Speed | 33.6 Kbps |
| Resolution | Up to 600 x 600 dpi resolution |
| Compression | MH, MR, MMR, JBIG |
| Fax Features | Walk-up Fax, includes LAN Fax, Direct Fax, Fax Forward to Email Fax dialing via Unified Address Book (up to 2,000 contacts) |
| Fax over IP (Optional) | |
| Compliance | T.38 compliant IP / SIP |
| Resolution | Up to 600 x 600 dpi resolution |
| Compression | MH, MR, MMR, JBIG |
| Fax Features | Walk-up Fax, includes LAN Fax, Direct Fax, Fax Forward to Email Fax dialing via Unified Address Book (up to 2,000 contacts) |
| Mobile Solutions and Mobile Device Apps | |
| Xerox® Mobile Express Driver® | Makes it easy for mobile users to find, use and manage Xerox® and non-Xerox® devices in every new location. Plug into a new network, and Mobile Express Driver automatically discovers available printers and provides status and capability information. Save a list of “favorite” printers for each location, store application print settings for use on any printer in any network, and greatly reduce mobile support calls to IT. |
| Xerox® Global Print Driver® | A truly universal print driver that lets IT administrators install, upgrade and manage Xerox® and non-Xerox® devices from a single driver. It provides a consistent, easy-to-use interface for end-users, reducing the number of support calls, and simplifying print services management. |
| Apple® AirPrint® | Print email, photos and important office documents directly from an Apple iPhone® or iPad® with no drivers to install and no cables to connect. With AirPrint, an iPhone or iPad automatically locates and connects to the AirPrint-enabled device over the office Wi-Fi network. |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | |
|---|--|
| Google Cloud Print™ | Google Cloud Print connects print devices to the web, enabling users to print the applications they use every day from smartphones, tablets, Chromebook™ notebook computers and any other web-connected device. |
| Xerox® Print Service Plug-in for Android™ (Free at Google Play™ Store) | The Xerox® Print Service Plug-in for Android KitKat (4.4 or greater) devices streamlines mobile printing without third-party apps or additional print drivers. You can easily print photos, Web pages and documents when your mobile device is connected to multifunction printers using a wireless network. A robust print option set includes two-sided printing, stapling and secure code release. A free download is available from the Google Play™ store. |
| Xerox® Mobile Link App (Free at Google Play™ Store and Apple® App Store) | The Xerox® Mobile Link App allows you to scan, email and fax from your phone or tablet by connecting with our multifunction printers and send data to and print data from cloud storage. It is easy to create Mobile Link One-Touch Workflows between a mobile device and a multifunction printer. Using a manual address or QR code identification for pairing, automatic device discovery makes it easy to find and pair a mobile device with a nearby Xerox® multifunction printer. |
| Xerox® Print Management and Mobility Suite, Xerox® Print Management and Mobility Service | Xerox® Print Management and Mobility Suite is a modular set of workflows designed to save customers time and money by providing effective control over their print fleet, while enabling worker productivity and mobility through a set of robust workflows. Xerox enables ultimate customer flexibility by offering these capabilities in both an on-premises server version and with a cloud based-version of this solution. |
| Security | |
| Standard Security Features | Firmware Verification Security Certificate Management Automatic Self-Signed Certificate Creation Certificate Revocation List (CRL)/Online Certificate Status Protocol (OCSP) Certificate Path Validation Immediate Disk Overwrite (requires HDD) AES 256-bit Encryption FIPS 140-2 TLS/SSL SNMPv3 Smart Card Enablement (CAC/PIV/.NET) Detection of external programme falsification (XCP Plug-in) Network Authentication Access Controls Role Based Permissions Domain Filtering IP Address Filtering Port Filtering Audit Log Secure Email Secure Fax Secure Print Secure Scan |
| Accounting | |
| Xerox® Standard Accounting / Network Accounting (Standard) | |
| Tracking | Copy, Print, Fax, Scan and Email usage |
| Accounting | Xerox® Standard Accounting Tool Up to 9,999 User Accounts with HDD installed Up to 1,000 User Accounts without HDD installed Network Accounting (Job Based Accounting) Up to 60,000 User IDs; Up to 60,000 Account IDs with HDD installed Up to 1,000 User IDs; Up to 1,000 Account IDs without HDD installed Up to 14,000 accounting records (transactions) |
| Features | Administrator can manage the feature via the Embedded Web Server or local user interface on device |
| Accounting Options – Network Accounting (Allows central server to manage all accounting) | |
| | <ul style="list-style-type: none"> Enhanced network accounting with up to the minute data on how the system is being used Comprehensive management and enterprise scale tracking and reporting of device usage of copy, print, scan and fax Numerous solutions are available through Xerox Alliance Partners. For details visit www.xerox.com Security enhancements includes support for HTTPS protocol Device requests account authentication from third party server enabling larger databases of users and accounts Accept Authentication Login at control panel and pass to third party Networking Account |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| Paper Handling | |
|--|--|
| Document Feeder | |
| Capacity⁴ | Duplex Automatic Document Feeder (DADF): 110 sheets |
| Sizes | Custom sizes: Duplex: 125 x 110 mm to 297 x 431.8 mm; Simplex: 125 x 85 mm to 297 x 431.8 mm |
| Weights | Simplex: 38 –128 gsm Duplex: 50 –128 gsm |
| Bypass Tray | |
| Capacity⁴ | 100 sheets |
| Sizes | Custom sizes: 88.9 x 98.4 mm to 297 x 431.8 mm |
| Weights | 60 to 216 gsm |
| Types | Bond Plain Paper Cardstock Custom Envelopes Hole Punched Labels Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Pre-Printed Recycled |
| Tray 1 | |
| Capacity⁴ | 520 sheets |
| Sizes | Custom sizes: 139.7 x 182.0 mm to 297.0 x 431.8 mm |
| Weights | 60 to 256 gsm |
| Types | Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled |
| Single Tray Module (Optional – Base Model only) | |
| Capacity⁴ | 520 sheets |
| Sizes | Custom sizes: 139.7 x 182.0 mm to 297.0 x 431.8 mm |
| Weights | 60 to 256 gsm |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | |
|--|--|
| Types | Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled |
| Single Tray Module with Stand (Optional) | |
| Capacity⁴ | 520 sheets |
| Sizes | Custom sizes: 139.7 x 182.0 mm to 297.0 x 431.8 mm |
| Weights | 60 to 256 gsm |
| Types | Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled |
| Three Tray Module (Optional) | |
| Capacity⁴ | Tray 2: 520 sheets Tray 3: 520 sheets Tray 4: 520 sheets |
| Sizes | Custom sizes: 139.7 x 182.0 mm to 297.0 x 431.8 mm |
| Weights | 60 to 256 gsm |
| Types | Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled |
| High Capacity Tandem Tray Module (Optional) | |
| Capacity⁴ | Tray 2: 520 sheets Tray 3: 870 sheets Tray 4: 1,130 sheets |
| Sizes | Tray 2: Custom sizes: 139.7 x 182.0 mm to 297.0 x 431.8 mm Tray 3: Standard Sizes: A4 or B5 Tray 4: Standard Sizes: A4 or B5 |
| Weights | 60 to 256 gsm |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | |
|---|--|
| Types | Bond Plain Paper Cardstock Custom Hole Punched Labels Heavyweight Labels Extra Heavyweight Labels Letterhead Lightweight Cardstock Lightweight Glossy Cardstock Lightweight Glossy Cardstock Reload Heavyweight Cardstock Pre-Printed Recycled |
| Envelope Tray – Replaces Tray 1 (Optional) | |
| Capacity⁴ | Up to 60 envelopes |
| Sizes | Monarch, DL, C5 Custom sizes: 98 x 148 mm to 162 x 241 mm |
| Weights | 75 to 90 gsm |
| High Capacity Feeder (Optional) | |
| Capacity⁴ | 2,000 sheets |
| Sizes | Standard Sizes: A4 or B5 |
| Weights | 160 to 216 gsm |
| Total Capacity | |
| Base Unit Capacity⁴ | 620 sheets |
| Single Tray Module Capacity⁴ | 1,140 sheets |
| Single Tray Module with Stand Capacity⁴ | 1,140 sheets |
| Three Tray Module Capacity⁴ | 2,180 sheets |
| High-Capacity Tandem Tray Capacity⁴ | 3,140 sheets |
| Finishing | |
| Output Trays (Optional on Base Model) | |
| Dual Catch Trays⁴ | 250 sheets each; Lower tray offsets |
| Integrated Office Finisher (Optional) | |
| Stacking Tray | 500 sheets of 80 gsm – A4 or 250 sheets of 80 gsm – A3 |
| Sizes | 89 x 98 mm to 297 x 432 mm |
| Weights | 60 to 220 gsm |
| Stapling | Single Auto stapling: 50 sheets maximum: A4 / B5-size sheets (less than 90 gsm or (2) 220 gsm covers) 30 sheets maximum: A3 / B4-size sheets (less than 90 gsm or (2) 220 gsm covers) |
| Office Finisher LX (Optional) | |
| Capacity⁴ | Stacking Tray: 2,000 sheets unstapled or 1,000 sheets single stapled or 750 sheets dual stapled (A4) (dual stapling only with optional booklet maker) |
| Sizes | 210 x 182 mm to 297 x 432 mm |
| Weights | 60 to 220 gsm |
| Multiposition Stapling | 50 sheets of 90 gsm |
| Hole Punch (Optional) Europe: | 2-4 Hole Punch |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| | |
|---|--|
| Booklet Maker for Office Finisher LX (Score/Crease, Saddle-stitch Staple) (Optional) | |
| Capacity⁴ | 40 booklets (2-15 sheets per booklet – 80 gsm or less) |
| Sizes | A4 SEF Legal –B4 SEF Ledger – A3 SEF |
| Saddle-stitch Stapling | 2-15 sheets / 8-60 page booklet 60 to 90 gsm |
| Score / Crease | 1-15 sheets / unstapled |
| Convenience Stapler (Optional – Includes Work Surface) | |
| Capacity⁴ | 50-sheet stapling 5,000 staples Requires a separate outlet |
| Device Management | |
| Network Protocols | TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD LDAP Bonjour® / AirPrint™ FTP Most protocols not in use can be disabled |
| Administrative Protocols | DHCP, SNMP, WINS, HTTP, HTTPS, TLS, SNTP, MDNS |
| Xerox® CentreWare® Web | |
| | <ul style="list-style-type: none"> • A Web-based server application for network administrators that permits web browser-based device management from any workstation, whether running Windows or UNIX or any other operating system • Works with any SNMP-managed printer from any manufacturer • Provides help with device discovery and installations, health checks and troubleshooting, and device upgrades, as well as basic accounting and asset management |
| Embedded Web Server – Integrated Device Web Page | |
| Device Status | Web server embedded <ul style="list-style-type: none"> • Tray status/contents • Consumables status • Billing/Usage • Quick Links |
| Print Queue Viewing | Job print queue management—view and delete |
| Job Submission | Print-ready files (PS (with optional PostScript option), PCL, PDF, XPS, JPEG) |
| Device Administration | Allows simple, remote installation setting of configuration options and management of the device |
| Browsers | Microsoft® Internet Explorer® 11 Microsoft Edge™ 38 Mozilla™ Firefox® 48 Apple® Safari® 9.1 Google Chrome™ 52 |
| Remote Services | |
| Automated Meter Reading (AMR) | Automates the process of collecting and submitting meter reads for tracking and billing of Xerox® device usage. Eliminates the need for time-consuming end-user involvement and ensures that meter reads are submitted to Xerox on time. |
| Automated Supplies Replenishment (ASR) | Automatically orders supplies for Xerox output devices based on actual usage, eliminating the need to manually manage supplies inventory. |
| MaintenanceAssistant | Offers a fast (and free) way to resolve potential issues and receive assistance and automate the troubleshooting/repair process. Diagnostic data is sent to Xerox, allowing for problems to be solved faster with increased uptime. |

Xerox® VersaLink® C7020/C7025/C7030 Colour Multifunction Printer

| Supplies and Accessories | Quantity | Part Number |
|--|--|--|
| Supplies | | |
| High Capacity Toner Cartridges | Cyan: 9,800 standard pages ⁶ Magenta: 9,800 standard pages ⁶ Yellow: 9,800 standard pages ⁶ Black: 16,100 standard pages ⁶ | 106R03744 106R03743 106R03742 106R03741 |
| Extra High Capacity Toner Cartridges | Cyan: 16,500 standard pages ⁶ Magenta: 16,500 standard pages ⁶ Yellow: 16,500 standard pages ⁶ Black: 23,600 standard pages ⁶ | 106R03740 106R03739 106R03738 106R03737 |
| Drum Cartridge | Black: 109,000 Cyan, Magenta, Yellow : 87,000 standard pages ⁷ | 113R00780 |
| Waste Toner Bottle | 30,000 | 115R00128 |
| LX Booklet Maker Cartridge (8 cartridges per container) | 16,000 staples (2,000 each cartridge) | 008R12897 |
| Staple Refills for Finishers (3 refills per container) | 15,000 staples (5,000 each refill) | 008R12941 |
| Staple Cartridge for Finishers (1 cartridge per container) | 5,000 staples (5,000 each cartridge) | 008R12964 |

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Expected regular monthly throughput.

³ Requires analog phone line.

⁴ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

⁵ Power states defined per ENERGY STAR® Programme requirements for Imaging Equipment.

⁶ Average standard pages. Declared Yield in accordance with ISO/IEC19798. Yield will vary based on image, area coverage and print mode.

⁷ Approximate pages. Declared yield will vary depending on job run length, media size/orientation and machine speed. For more information visit: <http://www.office.xerox.com/latest/SUPGL-01.pdf>.

www.xerox.com

Configurations vary by geography.